



# Generic bollard 273 mm (B4240)



Bollards | Static

**Manufacturer:** Multiple manufacturers (see specification)

**Standard Tested To:** PAS 68:2010

**Performance rating:** V/7500[N2]/64/90:3.3/0.0



## Manufacturer

Manufacturer Name: Multiple manufacturers (see specification)

---

## Specification

Foundation design must be approved by a Principal Member Grade of Hostile Vehicle Mitigation on the Register of Security Engineers and Specialists (RSES):

<https://www.ice.org.uk/ICEDevelopmentWebPortal/media/Documents/Careers/specialist-registers/RSES-Company-Competence-List.pdf>

### Supplied by:

Avon Barrier Corporation Ltd - Scimitar 75/40 - <http://www.avon-barrier.com>

AVS-elli - BUX 01 - <https://www.avseli.com>

Eagle Automation Ltd - 40-ST(A) - <https://www.eagleautogate.co.uk/>

Frontier Pitts Ltd - Terra Neptune - <http://www.frontierpitts.com>

Guardiar - BLOKAD Static 40 - <https://www.guardiar.com>

Heald Ltd - HT1-SPARTA 64/XX - <http://www.heald.uk.com>

Heras - B956A - <http://www.heras.co.uk>

Highway Care Ltd - HCSS 64A - <https://www.highwaycare.com/security>

Hill and Smith - Bristorm Impeder 40 - <https://hill-smith.co.uk>

Jacksons Fencing Ltd - Harrier 2 - <https://www.jacksons-fencing.co.uk>

Leda-Vannaclip - IBR250FP68A - <https://www.ledasecurity.com.au>

Marshalls Mono Ltd - RhinoGuard Basic 273xXX - <http://www.marshalls.co.uk>

Securiscape Ltd - 273/64S - <http://www.securiscape.com>

Systra Ltd - B2 - <http://www.systra.co.uk>

Townscape Products Ltd - CT 40 N2/02 - <http://www.townscape24.com>



Zaun Limited - Terror Stopper 3 - <https://www.zaun.co.uk>

**Dimensions:** 1000 x W273

**Foundation:** C - Depth >0.5m below ground level

---